	Application No.	Applicant(s)	(A)
Notice of Allowability	00/055 442	NAKAMUDA ET AL	
	09/955,113 Examiner	NAKAMURA ET AL. Art Unit	
	Sam K. Ahn	2637	
The MAILING DATE of this communication appearance of the communication appearance of the series of the communication appearance of the MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED or other appropriate commIGHTS. This application is	in this application. If not included nunication will be mailed in due could	rse. THIS
1. This communication is responsive to 10/07/05.			
2. The allowed claim(s) is/are 13.			
 Acknowledgment is made of a claim for foreign priority un a)) or (f).	
 Certified copies of the priority documents have 			
Certified copies of the priority documents have	• •		
3. Copies of the certified copies of the priority do	cuments have been receiv	ed in this national stage application	from the
International Bureau (PCT Rule 17.2(a)).			
* Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		le a reply complying with the require	ements
4. A SUBSTITUTE OATH OR DECLARATION must be subminformal PATENT APPLICATION (PTO-152) which give			CE OF
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.			
(a) 🔲 including changes required by the Notice of Draftspers	son's Patent Drawing Revi	ew (PTO-948) attached	
1) hereto or 2) to Paper No./Mail Date	·		
(b) including changes required by the attached Examiner Paper No./Mail Date	s Amendment / Comment	or in the Office action of	
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t	.84(c)) should be written on he header according to 37 C	the drawings in the front (not the bac SFR 1.121(d).	:k) of
6. DEPOSIT OF and/or INFORMATION about the depo attached Examiner's comment regarding REQUIREMENT			the
Attachment(s) 1. Notice of References Cited (PTO-892)	5. ☐ Notice of	Informal Patent Application (PTO-15	52)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)		Summary (PTO-413),	•
	Paper No	o./Mail Date 's Amendment/Comment	
 Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 	ooj, r. M Examiner	5 Amenument Comment	
4. Examiner's Comment Regarding Requirement for Deposit	8. 🗌 Examiner	's Statement of Reasons for Allowar	nce
of Biological Material	9. 🗌 Other		

Application/Control Number: 09/955,113

Art Unit: 2637

EXAMINER'S AMENDMENT

Page 2

1. An extension of time under 37 CFR 1.136(a) is required in order to make an examiner's amendment which places this application in condition for allowance. During a telephone conversation conducted on 11/03/05, Mr. Jonathan Bowser requested an extension of time for 1 MONTH(S) and authorized the Director to charge Deposit Account No. 23-0975 the required fee of \$120 for this extension and authorized the following examiner's amendment. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

2. Authorization for this examiner's amendment was given in a telephone interview with Mr. Jonathan Bowser, Reg. No. 54,574 on 11/03/05.

The application has been amended as follows:

In claim 13, line 13, "signal; and" has been changed to "signal;",

Page 3

Application/Control Number: 09/955,113

Art Unit: 2637

in line 17, "signal, and" has been changed to "signal, to detect a temporal change of the squared value by obtaining a difference between the squared value and a delayed version of the squared value, and"

in line 20, "the filtered signal," has been changed to "a filtered signal; and" in line 21, "different values when" has been changed to "first or second value depending on whether",

in line 23, "than when" has been changed to "or",

in line 25, "a change" has been changed to "wherein said positive/negative change timing detection means comprises a change",

in line 25, "the value" has been changed to "the first or second value",

in line 27, "crosses the zero" has been changed to "crosses a zero",

in line 29, "a change" has been changed to "wherein said synchronization establishment apparatus further comprises a change",

in line 32, "a clock" has been changed to "wherein said synchronization establishment means comprises a clock",

in line 35, "a timing" has been changed to "wherein said synchronization establishment apparatus further comprises a timing", and in line 36, "a clock." has been changed to "a clock as a starting position for establishing synchronization for the received signal, and outputting a timing signal indicating the starting position to said amplitude difference detection circuit.".

Art Unit: 2637

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Sam Ahn whose telephone number is (571) 272-3044. The examiner can normally be reached on Monday-Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jay Patel can be reached on (571) 272-2988. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Sam K. Ahn 11/3/05

NOUNS T. TSE PRIMARY EXAMINER